



MORE EFFICIENT, MORE CLEANER

www.yangziindustry.com

Mobile / Whatsapp : +86 19966157838

E-mail : info@yangzi.ntesmail.com



YANGZI CATALOG



Yangzi Intelligent Manufacture, with cleaning products as its core, integration of independent research and development, manufacturing, sales service in its own, is committed to becoming the world's leading and trust-worthy cleaning products and solutions provider.

Since its establishment, Yangzi Cleaning Products have launched 4 categories of "floor scrubber, floor sweeper, vacuum cleaner, high pressure washer" and more than 100 product types. Millions of cleaning equipment have been sold abroad, with export region covering more than 100 countries and regions such as Europe, Africa and America, and have been welcomed and trusted by local users.

Yangzi has always adhering to the mission of "providing more suitable cleaning equipment for every enterprise". In product design, Yangzi initiates in-depth market research to find user's needs and continuous product upgrades. In production process, it continuously optimizes the production process and management mode eliminate waste and ineffective processes and achieve lean production; In quality management: the company adheres to the principle of "prevention first, do it right once" to achieve continuous improvement. Yangzi can provide professional cleaning solutions for all kinds of industrial and commercial customers, including parks, hotels, hospitals, supermarkets, property cleaning, manufacturing enterprises, schools, scenic areas and other fields.

In recent years, it has increased capital investment, actively distributed the research and development of autonomous driving cleaning equipment, fully promoted the transformation of human high efficient cleaning methods, and accelerated the world's transformation to automatic cleaning.

ENTERPRISE HONOR



全国品牌商标

一九九二年

全国品牌商标
National brand trademark



国家认定
企业技术中心

国家发展改革委 科技部
财政部 海关总署 国家税务总局

国家认定企业技术中心
Tate recognized Enterprise Technology Center



荣誉证书
全国五一劳动奖

全国五一劳动奖
National May Day Labor Award



全国优秀企业金马奖

一九九四年

全国优秀企业金马奖
Golden Horse Award for national excellent enterprises



CCTV中国品牌榜

二零一七年五月

CCTV中国品牌榜
CCTV China brand list



通过国家强制性“CCC”认证

二〇〇六年

通过国家强制性CCC认证
Pass the national compulsory CCC certification



党和国家领导人江泽民题字
Inscription by Jiang Zemin,
leader of the party and state



荣获安徽省首届商标文化展
组委会公认品牌
Wun the first Anhui trademark
Culture Exhibition Organizing Committee recognized brand





Development

How to make cleaning easier by doing one thing in 40+ years



Sheet metal spray plastic production line



Squeegee Production line



Sheet metal bending production line



Brush plate production line



Finished product silo Palletizing area



Washing unit assembly area



Rolling plastic product area



Laser cutting area



Finished product testing area



Mold making area



Sweeper production line



Yangzi office area





Industrial Scrubber Series

YZ-Q2 >>>



Item	Parameter
Cleaning width (mm)	530
Squeegee width (mm)	800
Working hours (h)	2.5-3(72ah) 3-4(100ah)
Theoretical work efficiency (m ² /h)	3000
Battery capacity (V/Ah)	24/72 24/100
Power of suction motor (W)	300
Brush plate motor power (W)	550
Drive motor power (W)	/ 100(驱动)
Capacity of clean tank (L)	65
Capacity of sewage tank (L)	70
Whole machine weight (kg)	146
Product size(mm)	1400*800*1040

YZ-X1 >>>



Item	Parameter
Cleaning width (mm)	380
Squeegee width (mm)	450
Working hours (h)	1.5-2
Theoretical work efficiency (m ² /h)	1520
Battery capacity (V/Ah)	24/32
Power of suction motor (W)	500
Brush plate motor power (W)	300
Drive motor power (W)	/
Capacity of clean tank (L)	10
Capacity of sewage tank (L)	15
Whole machine weight (kg)	61
Product size(mm)	700*450*1050

YZ-X2 >>>



Item	With wire	Maintenance-free
Cleaning width (mm)	530	530
Squeegee width (mm)	800	800
Working hours (h)	/	3-4
Theoretical work efficiency (m ² /h)	3000	3000
Battery capacity (V/Ah)	/	24/103
Power of suction motor (W)	550	550
Brush plate motor power (W)	550	550
Drive motor power (W)	/	/
Capacity of clean tank (L)	55	55
Capacity of sewage tank (L)	60	60
Whole machine weight (kg)	112.5	156
Product size(mm)	1200*800*1050	



Industrial Scrubber Series

YZ-X68 >>>



Item	Parameter
Cleaning width (mm)	550
Squeegee width (mm)	825
Working hours (h)	3-4
Theoretical work efficiency (m ² /h)	4600
Battery capacity (V/Ah)	24/103
Power of suction motor (W)	550
Brush plate motor power (W)	550
Drive motor power (W)	450
Capacity of clean tank (L)	70
Capacity of sewage tank (L)	80
Whole machine weight (kg)	181.5
Product size(mm)	1250*800*1080

YZ-X7 >>>



Item	Parameter
Cleaning width (mm)	780
Squeegee width (mm)	1200
Working hours (h)	4-5
Theoretical work efficiency (m ² /h)	6800
Battery capacity (V/Ah)	24/203
Power of suction motor (W)	600
Brush plate motor power (W)	380*2
Drive motor power (W)	600
Capacity of clean tank (L)	145
Capacity of sewage tank (L)	165
Whole machine weight (kg)	351
Product size(mm)	1650*1200*1420

YZ-X8 >>>



Item	Parameter
Cleaning width (mm)	860
Squeegee width (mm)	1200
Working hours (h)	4-5
Theoretical work efficiency (m ² /h)	7600
Battery capacity (V/Ah)	24/200
Power of suction motor (W)	500
Brush plate motor power (W)	380*2
Drive motor power (W)	760
Capacity of clean tank (L)	150
Capacity of sewage tank (L)	160
Whole machine weight (kg)	420
Product size(mm)	1650*1200*1450

YZ-X4 >>>



Item	Ordinary/general	Self-walking
Cleaning width (mm)	560	560
Squeegee width (mm)	825	825
Working hours (h)	3-4	3-4
Theoretical work efficiency (m ² /h)	3600	3600
Battery capacity (V/Ah)	24/103	24/103
Power of suction motor (W)	550	550
Brush plate motor power (W)	550	550
Drive motor power (W)	/	300
Capacity of clean tank (L)	55	55
Capacity of sewage tank (L)	65	65
Whole machine weight (kg)	148	155
Product size(mm)	1300*825*1070	

YZ-X5 >>>



Item	Single-brush	Dual brush
Cleaning width (mm)	550	700
Squeegee width (mm)	1000	1000
Working hours (h)	4-5	4-5
Theoretical work efficiency (m ² /h)	4600	5900
Battery capacity (V/Ah)	24/103	24/103
Power of suction motor (W)	550	550
Brush plate motor power (W)	550	380*2
Drive motor power (W)	500	500
Capacity of clean tank (L)	85	85
Capacity of sewage tank (L)	90	90
Whole machine weight (kg)	203.5	205
Product size(mm)	1445*1000*1100	

YZ-X6 >>>



Item	Parameter
Cleaning width (mm)	700
Squeegee width (mm)	1000
Working hours (h)	4-5
Theoretical work efficiency (m ² /h)	5900
Battery capacity (V/Ah)	24/140
Power of suction motor (W)	550
Brush plate motor power (W)	380*2
Drive motor power (W)	500
Capacity of clean tank (L)	95
Capacity of sewage tank (L)	100
Whole machine weight (kg)	231.5
Product size(mm)	1450*1000*1100

YZ-X9 >>>



Item	Parameter
Cleaning width (mm)	1020
Squeegee width (mm)	1200
Working hours (h)	6-8
Theoretical work efficiency (m ² /h)	8800
Battery capacity (V/Ah)	36/203
Power of suction motor (W)	600
Brush plate motor power (W)	650*2
Drive motor power (W)	800
Capacity of clean tank (L)	240
Capacity of sewage tank (L)	260
Whole machine weight (kg)	556
Product size(mm)	1790*1200*1450

YZ-X10 >>>



Item	Parameter
Cleaning width (mm)	1100
Squeegee width (mm)	1300
Working hours (h)	7-8
Theoretical work efficiency (m ² /h)	10000
Battery capacity (V/Ah)	36/320
Power of suction motor (W)	600*2
Brush plate motor power (W)	650*2 200W*1
Drive motor power (W)	1400
Capacity of clean tank (L)	280
Capacity of sewage tank (L)	300
Whole machine weight (kg)	977
Product size(mm)	2060*1200*1660

YZ-XS5 >>>



Item	Parameter
Cleaning width (mm)	650
Squeegee width (mm)	1000
Working hours (h)	4-5
Theoretical work efficiency (m ² /h)	4800
Battery capacity (V/Ah)	24/150
Power of suction motor (W)	600
Brush plate motor power (W)	600*2
Drive motor power (W)	650
Capacity of clean tank (L)	115
Capacity of sewage tank (L)	90
Whole machine weight (kg)	352
Product size(mm)	1400*1000*1360

YZ-XS6



Item	Parameter
Cleaning width (mm)	800
Squeegee width (mm)	1200
Working hours (h)	4-4.5
Theoretical work efficiency (m ² /h)	6000
Battery capacity (V/Ah)	24/203
Power of suction motor (W)	650
Brush plate motor power (W)	650*2
Drive motor power (W)	650
Capacity of clean tank (L)	130
Capacity of sewage tank (L)	150
Whole machine weight (kg)	/
Product size(mm)	1670*1200*1420

YZ-SC50



Item	Parameter
Cleaning width (mm)	800
Squeegee width (mm)	706
Working hours (h)	2-3 (Floor scrubbing) / 6-8 (Dust removing)
Theoretical work efficiency (m ² /h)	1800
Battery capacity (V/Ah)	24/60
Capacity of clean tank (L)	42
Capacity of sewage tank (L)	30
Whole machine weight (kg)	180
Product size(mm)	800*700*1200
Climbing grade	8
Vertical passing-through height (cm)	1.5
Bin capacity(L)	1.5

Sensor configuration: 2D LiDAR *1, RGBD*3, ultrasonic radar *6, collision sensor, anti-drop sensor, IMU, wheel speed meter

YZ-SC50P



Item	Parameter
Cleaning width (mm)	800
Squeegee width (mm)	706
Working hours (h)	2-3 (Floor scrubbing) / 6-8 (Dust removing)
Theoretical work efficiency (m ² /h)	1800
Battery capacity (V/Ah)	24/60
Capacity of clean tank (L)	42
Capacity of sewage tank (L)	30
Whole machine weight (kg)	180
Product size(mm)	800*700*1200
Climbing grade	8
Vertical passing-through height (cm)	1.5
Bin capacity(L)	1.5

Sensor configuration: 2D LiDAR *1, RGBD*5, ultrasonic radar *6, collision sensor, anti-drop sensor, IMU, wheel speed meter

YZ-S1



Item	Parameter
Cleaning width (mm)	920
Rolling brush width (mm)	480
Theoretical work efficiency (m ² /h)	3860
Bin Capacity (L)	55
Water tank (L)	5
Continuous working time (h)	/
Battery capacity (V/Ah)	/
Rolling brush motor power (W)	/
Side brush motor power (W)	/
Drive motor power (W)	/
Whole machine weight (kg)	/
Product size(mm)	1300*920*1035

YZ-S3



Item	Parameter
Cleaning width (mm)	1000
Rolling brush width (mm)	435
Theoretical work efficiency (m ² /h)	4200
Bin Capacity (L)	22
Water tank (L)	12
Continuous working time (h)	4-5
Battery capacity (V/Ah)	12/100
Rolling brush motor power (W)	120
Side brush motor power (W)	35*2
Drive motor power (W)	/
Whole machine weight (kg)	75
Product size(mm)	1300*1000*1030

YZ-S2PRO



Item	Parameter
Cleaning width (mm)	775/1050
Rolling brush width (mm)	500
Theoretical work efficiency (m ² /h)	4200/5250
Bin Capacity (L)	45
Water tank (L)	8
Continuous working time (h)	3-4
Battery capacity (V/Ah)	24/24 24/32
Rolling brush motor power (W)	250
Side brush motor power (W)	/
Drive motor power (W)	/
Whole machine weight (kg)	/
Product size(mm)	1470*1040*1040

YZ-SC80



Item	Parameter
Cleaning width (mm)	1160
Squeegee width (mm)	1024
Working hours (h)	4~6 (Floor scrubbing) / 10~12 (Dust removing)
Theoretical work efficiency (m ² /h)	4000
Battery capacity (V/Ah)	36/200
Capacity of clean tank (L)	140
Capacity of sewage tank (L)	170
Whole machine weight (kg)	400
Product size(mm)	1340*1024*1350
Climbing grade	10
Vertical passing-through height (cm)	2.5
Bin capacity(L)	1.5

Sensor configuration: 16-line LiDAR, single-line LiDAR, depth camera, ultrasonic radar, wheel speed meter, IMU, collision sensor, anti-drop sensor

YZ-SC80P



Item	Parameter
Cleaning width (mm)	1160
Squeegee width (mm)	1024
Working hours (h)	4~6 (Floor scrubbing) / 10~12 (Dust removing)
Theoretical work efficiency (m ² /h)	4000
Battery capacity (V/Ah)	36/200
Capacity of clean tank (L)	140
Capacity of sewage tank (L)	170
Whole machine weight (kg)	400
Product size(mm)	1340*1024*1350
Climbing grade	10
Vertical passing-through height (cm)	2.5
Bin capacity(L)	1.5

Sensor configuration: 3D LiDAR *1, 2D LiDAR *1, RGBD*4, Ultrasonic radar *6, collision sensor, anti-drop sensor, IMU, wheel speed meter

YZ-S100N



Item	Parameter
Cleaning width (mm)	1000
Water tank (L)	60
Bin Capacity (L)	60
Continuous working time (h)	6
Battery capacity (V/Ah)	24/200
Theoretical work efficiency (m ² /h)	3000
Whole machine weight (kg)	395
Rolling brush motor power (W)	600
Side brush motor power (W)	60*2
Drive motor power (W)	1000
Power of suction motor (W)	200
Product size(mm)	1706*927*1199

YZ-GL4



Item	Parameter
Cleaning width (mm)	1000
Rolling brush width (mm)	450
Theoretical work efficiency (m ² /h)	6500
Bin Capacity (L)	60
Water tank (L)	40
Continuous working time (h)	2.5-3
Battery capacity (V/Ah)	48/67
Rolling brush motor power (W)	500
Side brush motor power (W)	90*2
Drive motor power (W)	650
Whole machine weight (kg)	267
Product size(mm)	1300*1000*980

YZ-S4



Item	Parameter
Cleaning width (mm)	1300
Rolling brush width (mm)	500
Theoretical work efficiency (m ² /h)	7500
Bin Capacity (L)	80
Water tank (L)	10
Continuous working time (h)	2-3
Battery capacity (V/Ah)	48/67
Rolling brush motor power (W)	700
Side brush motor power (W)	100*2
Drive motor power (W)	800
Whole machine weight (kg)	318
Product size(mm)	1640*1300*1450

YZ-S5



Item	Parameter
Cleaning width (mm)	1400
Rolling brush width (mm)	600
Theoretical work efficiency (m ² /h)	8000
Bin Capacity (L)	120
Water tank (L)	100
Continuous working time (h)	2-4
Battery capacity (V/Ah)	48/67
Rolling brush motor power (W)	700
Side brush motor power (W)	100*2
Drive motor power (W)	800
Whole machine weight (kg)	366
Product size(mm)	1730*1400*1450



Industrial Sweeper Series

YZ-S6 >>>



Item	Parameter
Cleaning width (mm)	1450
Rolling brush width (mm)	690
Theoretical work efficiency (m ² /h)	8600
Bin Capacity (L)	170
Water tank (L)	100
Continuous working time (h)	3-4
Battery capacity (V/Ah)	48/85
Rolling brush motor power (W)	1000
Side brush motor power (W)	100*2
Drive motor power (W)	1200
Whole machine weight (kg)	440
Product size(mm)	1800*1450*1450

YZ-S8 >>>



Item	Parameter
Cleaning width (mm)	1900
Rolling brush width (mm)	690
Theoretical work efficiency (m ² /h)	13000
Bin Capacity (L)	180
Water tank (L)	100
Continuous working time (h)	4-5
Battery capacity (V/Ah)	48/100
Rolling brush motor power (W)	1000
Side brush motor power (W)	100*4
Drive motor power (W)	1200
Whole machine weight (kg)	605.5
Product size(mm)	2200*1900*200

YZ-S9 >>>



Item	Parameter
Cleaning width (mm)	2050
Rolling brush width (mm)	785
Theoretical work efficiency (m ² /h)	15000
Bin Capacity (L)	200
Water tank (L)	160
Continuous working time (h)	4-6
Battery capacity (V/Ah)	48/150
Rolling brush motor power (W)	800
Side brush motor power (W)	100*4
Drive motor power (W)	1800
Whole machine weight (kg)	680
Product size(mm)	2250*2050*2000

YZ-S13 >>>



Item	Parameter
Cleaning width (mm)	2100
Rolling brush width (mm)	785
Theoretical work efficiency (m ² /h)	20000
Bin Capacity (L)	220
Water tank (L)	100
Continuous working time (h)	4-6
Battery capacity (V/Ah)	48/150
Rolling brush motor power (W)	1000
Side brush motor power (W)	100*4
Drive motor power (W)	1800
Whole machine weight (kg)	860
Product size(mm)	2600*2100*2150

YZ-S14 >>>



Item	Parameter
Cleaning width (mm)	2200
Rolling brush width (mm)	700*5
Theoretical work efficiency (m ² /h)	22000
Bin Capacity (L)	240
Water tank (L)	200
Continuous working time (h)	5-6
Battery capacity (V/Ah)	48/300
Rolling brush motor power (W)	800*2
Side brush motor power (W)	100*4
Drive motor power (W)	5000
Whole machine weight (kg)	1600
Product size(mm)	3850*2200*2200

YZ-S15 >>>



Item	Parameter
Cleaning width (mm)	2200
Rolling brush width (mm)	785
Theoretical work efficiency (m ² /h)	21000
Bin Capacity (L)	200
Water tank (L)	200
Continuous working time (h)	4-6
Battery capacity (V/Ah)	48/150
Rolling brush motor power (W)	1000
Side brush motor power (W)	100*4
Drive motor power (W)	1800
Whole machine weight (kg)	860
Product size(mm)	2630*2200*2550

YZ-S10 >>>



Item	Parameter
Cleaning width (mm)	2000
Rolling brush width (mm)	790
Theoretical work efficiency (m ² /h)	18000
Bin Capacity (L)	180
Water tank (L)	100
Continuous working time (h)	4-5
Battery capacity (V/Ah)	48/100
Rolling brush motor power (W)	1000
Side brush motor power (W)	100*4
Drive motor power (W)	1200
Whole machine weight (kg)	600
Product size(mm)	2250*2000*2000

YZ-S11 >>>



Item	Parameter
Cleaning width (mm)	2100
Rolling brush width (mm)	785
Theoretical work efficiency (m ² /h)	20000
Bin Capacity (L)	200
Water tank (L)	100
Continuous working time (h)	4-6
Battery capacity (V/Ah)	48/150
Rolling brush motor power (W)	1000
Side brush motor power (W)	100*4
Drive motor power (W)	1800
Whole machine weight (kg)	790
Product size(mm)	2450*2100*2100

YZ-S12 >>>



Item	Parameter
Cleaning width (mm)	2100
Rolling brush width (mm)	785
Theoretical work efficiency (m ² /h)	20000
Bin Capacity (L)	200
Water tank (L)	100
Continuous working time (h)	4-6
Battery capacity (V/Ah)	48/150
Rolling brush motor power (W)	1000
Side brush motor power (W)	100*4
Drive motor power (W)	1800
Whole machine weight (kg)	800
Product size(mm)	2450*2100*2100

YZ-S16 >>>



Item	Parameter
Cleaning width (mm)	2200
Rolling brush width (mm)	785
Theoretical work efficiency (m ² /h)	22000
Bin Capacity (L)	220
Water tank (L)	200
Continuous working time (h)	3-5
Battery capacity (V/Ah)	48/150
Rolling brush motor power (W)	1000
Side brush motor power (W)	100*4
Drive motor power (W)	2500
Whole machine weight (kg)	990
Product size(mm)	3200*2200*2150

YZ-S18F >>>



Item	Parameter
Cleaning width (mm)	2100
Rolling brush width (mm)	685*5
Theoretical work efficiency (m ² /h)	21000
Bin Capacity (L)	240
Water tank (L)	200
Continuous working time (h)	5-8
Battery capacity (V/Ah)	48/200
Rolling brush motor power (W)	1000*2
Side brush motor power (W)	100*4
Drive motor power (W)	3000
Whole machine weight (kg)	1140
Product size(mm)	3430*2100*2100

YZ-S19 >>>



Item	Parameter
Cleaning width (mm)	1800
Rolling brush width (mm)	/
Theoretical work efficiency (m ² /h)	17000
Bin Capacity (L)	700
Water tank (L)	150
Continuous working time (h)	4-6
Battery capacity (V/Ah)	72/400
Rolling brush motor power (W)	/
Side brush motor power (W)	200*2
Drive motor power (W)	7500
Whole machine weight (kg)	2200
Product size(mm)	4200*1250*1050



Industrial Sweeper Series



Industrial Sweeper Series

YZ-SR 140/120 >>>



Item	Parameter
Cleaning width (mm)	1450
Rolling brush width (mm)	600
Theoretical work efficiency (m ² /h)	11000
Bin Capacity (L)	120
Water tank (L)	50*2
Continuous working time (h)	2.5-3
Battery capacity (V/Ah)	48/83
Rolling brush motor power (W)	700
Side brush motor power (W)	100*2
Drive motor power (W)	1000
Whole machine weight (kg)	399
Product size(mm)	1650*1350*1200

YZ-SP 200/180 >>>



Item	Parameter
Cleaning width (mm)	2000
Rolling brush width (mm)	700
Theoretical work efficiency (m ² /h)	13500
Bin Capacity (L)	180
Water tank (L)	100
Continuous working time (h)	2.5-4
Battery capacity (V/Ah)	48/100
Rolling brush motor power (W)	1000
Side brush motor power (W)	100*2
Drive motor power (W)	1200
Whole machine weight (kg)	659.5
Product size(mm)	2000*2000*1900

YZ-SP 210/200 >>>



Item	Parameter
Cleaning width (mm)	2000
Rolling brush width (mm)	785
Theoretical work efficiency (m ² /h)	10250
Bin Capacity (L)	200
Water tank (L)	80
Continuous working time (h)	4-5
Battery capacity (V/Ah)	48/150
Rolling brush motor power (W)	800
Side brush motor power (W)	90*4
Drive motor power (W)	1800
Whole machine weight (kg)	/
Product size(mm)	2450*2030*2100



Commercial Vacuum Cleaner

YZ-102 >>>



Item	Parameter
Rated power (w)	1200
Length * Width * height (mm)	325*325*510
Number of motors	1
Voltage (V)	220
Vacuum degree (mbar/kPa)	≥17.5
Capacity (L)	15
Gross weight (kg)	5-6.5
Wire length (M)	5
Barrel thickness (mm)	0.4
Noise (db)	≤80
Air flow (m ³ /min)	1.82
Frequency (Hz)	50

YZ-106 >>>



Item	Parameter
Rated power (w)	1600
Length * Width * height (mm)	400*400*630
Number of motors	1
Voltage (V)	220
Vacuum degree (mbar/kPa)	≥19
Capacity (L)	25
Gross weight (kg)	7.7
Wire length (M)	5
Barrel thickness (mm)	0.45
Noise (db)	≤75
Air flow (m ³ /min)	1.79
Frequency (Hz)	50

YZ-108 >>>



Item	Parameter
Rated power (w)	1800
Length * Width * height (mm)	485*475*840
Number of motors	1
Voltage (V)	220
Vacuum degree (mbar/kPa)	≥19
Capacity (L)	60
Gross weight (kg)	11.9
Wire length (M)	5
Barrel thickness (mm)	0.5
Noise (db)	≤75
Air flow (m ³ /min)	1.8
Frequency (Hz)	50

YZ-DT1 >>>



Item	Parameter
Cleaning width	380mm
Brush rolling speed	900 r/s
Voltage	220V/50HZ
Suction motor	1200W
Water tank	68L
Capacity of clean tank	38L
Capacity of sewage tank	30L
Length of wire	15M
Noise Level	≤70dba
Safety factor	II
Weight	44KG
Product size	900mm*460mm*860mm

YZ-DT2 >>>



Item	Parameter
Cleaning width	660mm
Brush rolling speed	/
Voltage	220V/50HZ
Suction motor	2150W
Water tank	35L
Capacity of clean tank	/
Capacity of sewage tank	/
Length of wire	25M
Noise Level	≤75dba
Safety factor	II
Weight	65KG
Product size	730mm*750mm*900mm

YZ-SF1 >>>



Item	Parameter
Voltage	220V50HZ
Power of suction motor	1200W
Rolling brush motor power	40W
Washer pump	40W
Foaming	132W
Capacity of clean tank	30L
Capacity of sewage tank	20L
Gas flow	180m ³ /h
Hose length	4M
Wire length	15M
Weight	28KG
Product size	850mm*430m*490m

YZ-201 >>>



Item	Parameter
Rated power (w)	1200
Length * Width * height (mm)	315*315*555
Number of motors	1
Voltage (V)	220
Vacuum degree (mbar/kPa)	≥17.5
Capacity (L)	15
Gross weight (kg)	5.2
Wire length (M)	5
Barrel thickness (mm)	/
Noise (db)	≤75
Air flow (m ³ /min)	1.79
Frequency (Hz)	50

YZ-302 >>>



Item	Parameter
Rated power (w)	3200
Length * Width * height (mm)	610*540*800
Number of motors	2
Voltage (V)	220
Vacuum degree (mbar/kPa)	22-23
Capacity (L)	70
Gross weight (kg)	23
Wire length (M)	8
Barrel thickness (mm)	0.8
Noise (db)	≤78
Air flow (m ³ /min)	2.74
Frequency (Hz)	50

YZ-408 >>>



Item	Parameter
Rated power (w)	4800
Length * Width * height (mm)	610*540*800
Number of motors	3
Voltage (V)	220
Vacuum degree (mbar/kPa)	23-25
Capacity (L)	70
Gross weight (kg)	27
Wire length (M)	8
Barrel thickness (mm)	0.8
Noise (db)	≤80.5
Air flow (m ³ /min)	3.38
Frequency (Hz)	50